



SEADOG[®]LINE
QUALITY MARINE GEAR

2024 SUPPLEMENT

EXPERIENCE THE SEA-DOG DIFFERENCE

Sea-Dog does not sell to the general public – we only sell to boat builders and wholesalers. For information on how to purchase our products, visit the "Where to Buy" page on our website.

Back Cover Explained

Why did we choose the Port of Everett to feature on our back cover? For 100 years, Sea-Dog Line has been located in Snohomish County, Washington State, with over 60 years in Everett, WA. Established as a main hub for logging and industry, the addition of the Northern Railroad Line solidified Everett's standing as a major commercial hub. Everett is home to Boeing's Paine Field Plant, the largest building in the world by volume. The Port of Everett is the largest public marina on the west coast of the United States and the waterfront is also home to Naval Station Everett, homeport for the US Navy Carrier Strike Group.

From humble beginnings in Eldon's basement to the current 120,000+ sq/ft campus, Everett has played an important role in the evolution of Sea-Dog Line and the Nysether family. Eldon raised his two sons, Mark and Brad, in the business and while growing up, they worked right alongside their father. After finishing college, both Mark and Brad returned to the family business to continue the legacy.

One of the benefits of legacy is continuity, but it also fosters innovation. With Jasper Nysether now assuming the helm of our ship you can expect Sea-Dog to continue to be an industry leader in quality and reliability while growing and expanding our product offerings in new and exciting ways readily visible throughout this supplement.

With the ongoing support from you, our valued customers, and fourth family generation (Jasper, Nils and Brent) active, Sea-Dog line is looking forward to a great future.



-1s, -3s, & -9s

Items available in retail display packaging are identified with a -1, -3, and -9 after the Sea-Dog part number. More specifically:

- 1 Hanging card, bagged with header card, or in a clamshell
- 3 Full color box
- 9 Kit which includes hardware

Why are Proposition 65 warnings in our Sea-Dog catalog?

We at Sea-Dog strive to do the right thing as a responsible manufacturer. No changes have been made to our products that have been in our catalog for years. Even though the Prop 65 label is a California only requirement, Sea-Dog Line, out of an abundance of caution, is labeling all Prop 65 items regardless of their intended destination. As part of California's Right to Know, you will see Prop 65 warnings on some of our product packaging, in our catalog, and on our web site.

Prop 65 was enacted in 1986 for California only. Its intent was to protect drinking water sources from being contaminated with chemicals known to cause cancer, birth defects, or other reproductive harm. Since its inception, it has grown to include approximately 1000 chemicals, many of which are found in common household items.

Labeled products for Sea-Dog predominantly fall into three categories as pertains to Prop 65: Those containing brass, those with a galvanized finish, or those containing PVC. All brass contains lead, as does galvanizing solution. PVC, commonly used in wiring products, contains vinyl chloride and phthalates. All of these substances are listed as chemicals known to the state of California to cause cancer or reproductive toxicity.

For additional information on Prop 65 visit: www.P65Warnings.ca.gov


COMING SOON

FROM

SEADOGLINE[®]
QUALITY MARINE GEAR




MADE IN THE USA



NEW FOLDING CLEATS

FEATURES

- Hidden Slide-in Hex Bolt system and Thru-bolt versions available.
- The patent pending Hidden Slide-in Hex Bolt system simplifies installation while performing like a weld-in.
- Both versions accommodate different lengths of hardware to adapt to any application.
- Drain opening allows water and debris to pass through, reducing corrosion and wear to cleat.
- Incorporates a positive snap locking feature with audible click into the open/closed positions for easy rigging.
- Low profile, ergonomic design for a smooth, sleek appearance when closed, limiting trip hazards.
- Accommodates up to 1/2" line for 4-1/2" cleat and 5/8" line for 6" cleat.
- Highly polished, corrosion resistant stainless-steel construction.
- Hex bolt cleats include hardware in display packaged versions.
- Patent pending Hidden Slide-in Hex Bolt system and Posi-lock feature.



OVAL FOLDING CLEAT W/HIDDEN HEX BOLTS


Investment Cast Stainless 316

PATENT PENDING



Bulk	Display	A	B	C	D	E	F	Finish	Wt.(lb.)	Std. Pack
041115	041115-1	5"	4-5/8"	1-11/16"	1/2"	2-11/16"	1/4"-20 x 2" Hex Bolts	Polished	.29	10 ea
041115B	041115B-1	5"	4-5/8"	1-11/16"	1/2"	2-11/16"	1/4"-20 x 2" Hex Bolts	Black	.29	10 ea

This Oval Folding Cleat with Hidden Hex Bolts feature an innovative design incorporating removable hex bolts vs. welded studs making bolt length choices easy for the customer. Incorporates a positive locking feature with audible click into the open/closed positions for easy rigging. Accommodates up to 1/2" line. Low profile ergonomic design makes for smooth, sleek appearance when closed, limiting trip hazards. Constructed of corrosion resistant investment cast 316 stainless steel. Bulk cleats do not include fasteners. Display packaged cleats (-1) include 2 hex bolts, 2 washers, and 2 nuts per cleat. Available in a highly polished or black powder coated finish. Patent Pending.



OVAL FOLDING CLEAT


Investment Cast Stainless 316

PATENT PENDING



Bulk	Display	A	B	C	D	E	Fastener	Finish	Wt.(lb.)	Std. Pack
041125	041125-1	5"	4-5/8"	1-11/16"	1/2"	2-11/16"	1/4" FH	Polished	.29	10 ea
041125B	041125B-1	5"	4-5/8"	1-11/16"	1/2"	2-11/16"	1/4" FH	Black	.29	10 ea

This Oval Folding Cleat incorporates a positive locking feature with audible click into the open/closed positions for easy rigging. Accommodates up to 1/2" line. Low profile ergonomic design makes for smooth, sleek appearance when closed, limiting trip hazards. Constructed of corrosion resistant investment cast 316 stainless steel. Surface mounted: no cut-outs or hole saws required. Installs with two 1/4"-20 through bolts (not included). Available in a highly polished or black powder coated finish. Patent Pending.



RECTANGULAR FOLDING CLEAT W/HIDDEN HEX BOLTS

Investment Cast Stainless 316

PATENT PENDING



Bulk	Display	A	B	C	D	E	F	Finish	Wt.(lb.)	Std. Pack
041135	041135-1	4-9/16"	4-1/2"	1-11/16"	9/16"	2-11/16"	1/4"-20 x 2" Hex Bolts	Polished	.29	10 ea
041135B	041135B-1	4-9/16"	4-1/2"	1-11/16"	9/16"	2-11/16"	1/4"-20 x 2" Hex Bolts	Black	.29	10 ea
041136	041136-1	6-1/16"	6"	2-3/16"	11/16"	3-1/2"	5/16"-18 x 2" Hex Bolts	Polished	.59	10 ea




This Rectangular Folding Cleat with Hidden Hex Bolts features an innovative design incorporating removable hex bolts vs. welded studs making bolt length choices easy for the customer. Drain opening allows water and debris to pass through, reducing corrosion and wear to cleat. Incorporates a positive locking feature with audible click into the open/closed positions for easy rigging. Accommodates up to 1/2" line (4-1/2" cleat) or 5/8" line (6" cleat). Low profile ergonomic design makes for smooth, sleek appearance when closed, limiting trip hazards. Constructed of corrosion resistant investment cast 316 stainless steel. Bulk cleats do not include fasteners. Display packaged cleats (-1) include 2 hex bolts, 2 washers, and 2 nuts per cleat. Available in a highly polished or black powder coated finish. Patent Pending.





HEAVY DUTY CLEAT

Injection Molded Nylon



Bulk	Display	Color	A	B	C	D	E	Fastener	Wt.(lb.)	Std. Pack
043342	043342-1	Flat Dark Earth	4-1/4"	1"	1-1/4"	1-3/4"	n/a	#10 FH	.06 / .12	10 ea / 10 pr
043362	043362-1	Flat Dark Earth	6-1/16"	1-1/4"	1-9/16"	2-1/4"	n/a	1/4" FH	.13 / .26	10 ea / 10 pr
043382	043382-1	Flat Dark Earth	8-1/16"	1-3/4"	2-1/4"	n/a	4-3/16"	5/16" FH	.29	10 ea

These tie-down Heavy Duty Cleats are durable and easy to install. Larger cleats feature flared post for added strength and stability. Proudly constructed in the USA of corrosion and UV resistant injected molded nylon. Installs with two flat head fasteners (not included).


- Special Order Requirements May Apply
- Custom Colors Available with Large Order

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



STEP HANDLE

Injection Molded Nylon



Bulk	Display	A	B	C	D	E	Color	Fastener	Wt.(lb.)	Std. Pack
227262	227262-1	6-3/8"	3-1/4"	1-3/8"	1-5/8"	2-1/2"	Flat Dark Earth	1/4" RH	.22	10 ea

These Step Handles are designed for use as a lift handle on small boat transoms. Molded with a contoured handle grip, the textured upper surface also allows these handles to be used as a step. Proudly constructed in the USA of UV resistant injection molded nylon. Installs with four 1/4" RH fasteners (not included).

- Special Order Requirements May Apply
- Custom Colors Available with Large Order

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov




TRIPLE THREAT™ THREE POLE ROD HOLDER

Injection Molded Polypropylene



PATENT PENDING



Bulk	Display	A	B	C	D	E	F	Color	Wt.(lb.)	Std. Pack
325032	325032-1	13-1/2"	1-7/8"	1-3/4"	10-3/4"	7"	4-1/2"	White	.87 / .95	10 ea
325033	325033-1	13-1/2"	1-7/8"	1-3/4"	10-3/4"	7"	4-1/2"	Black	.87 / .95	10 ea
325034	325034-1	13-1/2"	1-7/8"	1-3/4"	10-3/4"	7"	4-1/2"	Flat Dark Earth	.87 / .95	10 ea


Our Triple Threat™ Three Pole Rod Holder is proudly made in the USA with recycled materials. Features the ability to hold bait, cast, and fly fishing rods/reels. These three-pole, side-mount rod holders come equipped with a built-in knife and plier storage with holders that can accommodate up to 16 different fishing lures. Several key features unique to our patent pending design include: Accessory Track Mounting System™, scent bottle storage, as well as four leash and two bungee cord attachment points. Accommodates rods up to 1-3/4" in diameter. Constructed of one-piece injection molded, UV stabilized polypropylene. No assembly required. Installs with four #8 fasteners (included in display packed product). Available in Black, White, or FDE (Flat Dark Earth). This is a fisherman's dream and is a must have for any boat, kayak, or dock!

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



SIDE MOUNT ROD HOLDER

Injection Molded Polypropylene



Bulk	Display	A	B	C	Color	Fastener	Wt.(lb.)	Std. Pack
325123	325123-1	11-11/16"	1-3/4"	6-1/4"	Flat Dark Earth	#10 RH	.22	8 ea

These Side Mount Rod Holders feature an integral, molded-in standoff located on the back of the rod holder. This standoff allows direct mounting to any flat surface. Accommodates rods up to 1-3/4" in diameter. Proudly constructed in the USA of injection molded polypropylene. Installs with two #10 RH fasteners (not included).

- Custom colors available on large volume orders

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

TRIPLE THREAT™ 3 POLE ROD HOLDER

White 325032-1
Black 325033-1
Flat Dark Earth 325034-1

Accommodates rods up to
1-3/4" in diameter

NEW



16 Lure
& Tackle Ports



Knife
Holder



Multiple Tool
Holders



BLACK
WHITE
FDE
[Flat Dark Earth]


Made with recycled plastic ♻️
One-piece construction
Installs with four #8 fasteners
Patent Pending





FLUSH MOUNT ROD HOLDER

Injection Molded ABS



Bulk	Display	A	B	C	D	Color	Cap	Fastener	Wt.(lb.)	Std. Pack
325166	325166-1	9-3/16"	1-5/8"	2-1/2"	2-5/8"	Flat Dark Earth	No	1/4" FH	.40	8 ea

These Flush Mount Rod Holders can accommodate rods up to 1-5/8" in diameter. Features a 30° angle. Proudly constructed in the USA of UV resistant injection molded ABS. Installs with three 1/4" FH fasteners (not included).


- Custom colors available on large volume orders

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



POWER BOX - BATTERY SWITCH

Injection Molded Nylon



Bulk	Display	A	B	C	Volts	Total Output	Wt.(lb.)	Std. Pack
n/a	422737-3	6-1/4"	3-1/8"	5-9/16"	12-24	50A	1.70	1 ea

The Power Box is controlled with a 50A battery switch with removable knob for extra security and is monitored with an LED voltmeter. Includes two power sockets, two Anderson outputs, four USB-A and one USB-C. Onboard internal fuse block. Great for John Boats & kayaks. Anderson battery plug included. 12-24V. 50A.


***ANDERSON CONNECTORS AND ACCESSORIES COMING SOON!**

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



BILGE PUMP WATER ALARM PANEL WITH SWITCH

Injection Molded ABS



Bulk	Display	A	B	C	D	Volts	Wt.(lb.)	Std. Pack
n/a	423037-1	2-3/8"	4-11/16"	1-1/2"	3-7/8"	12	.33	10 ea

The Bilge Pump Water Alarm Panel with Switch provides both an audible and visual means of warning that the water level in your bilge is above your bilge pump float switch level. There is no need for a separate bilge pump switch, as the control switch selects between the automatic and manual (momentary on) function of the bilge pump. 20A fuse holder. Constructed of injection molded ABS. Installs with gasket and four RH fasteners (included).

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov




YOU ASKED FOR IT, WE LISTENED...

COMING SOON!

Sea-Dog is changing its cordage packaging. **Over 200 items** of assorted materials, sizes, and colors.

Now in a recyclable paper box!




DUAL USB/POWER SOCKET PANEL

Injection Molded Nylon



Bulk	Display	A	B	C	Wt.(lb.)	Std. Pack
426501	n/a	3-1/2"	1"	1-1/8"	.05	10 ea

Dual USB/Power Socket Panel accommodates USB and standard power sockets. Constructed of injection molded nylon. Used on 426505. Sockets not included.



USB 3.0 & USB-C POWER SOCKET W/O LIGHT


Injection Molded Nylon



Bulk	Display	A	B	C	Volts	Total Output	USB-C	USB-A	Wt.(lb.)	Std. Pack
426510	426510-1	1-7/16"	1-1/2"	1-1/8"	8-32	5V/6A	60W@24V	36W@12V	.08	10 ea

USB 3.0 & USB-C Power Socket charges two devices simultaneously. When split, the total 6A output is 3A per side. USB 3.0 features Quick Charging (QC) for supported devices, giving enough power to charge phones, pads, and tablets quickly and efficiently. USB-C features Power Delivery (PD) for faster and more flexible charging. Protective dust cap extends the life of the charger. Constructed of injection molded nylon. Installation is as easy as drilling a 1-1/8" hole, inserting the socket body, tightening the locking nut, and connecting the wires. Also fits Sea-Dog® Power Socket Shell (426100) and Mounting Bracket (426105). Output DC: 5V/6A. Input: 8-32VDC. USB-C Watts: 60W@24V. USB 3.0 Watts: 36W@12V. Non-illuminating. IP65 rating. CE, RoHS compliant.

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



SURFACE MOUNT - SQUARE USB 3.0 & USB-C POWER SOCKET


Injection Molded Nylon



Bulk	Display	A	B	C	Volts	Total Output	USB-C	USB-A	Wt.(lb.)	Std. Pack
426531	426531-1	1-15/16"	1-15/16"	3/4"	8-32	5V/6A	60W@24V	36W@12V	.07	10 ea

This Square Surface Mount USB 3.0 & USB-C Power Socket charges two devices simultaneously. When split, the total 6A output is 3A per side. USB 3.0 features Quick Charging (QC) for supported devices, giving enough power to charge phones, pads, and tablets quickly and efficiently. USB-C features Power Delivery (PD) for faster and more flexible charging. Protective dust cap extends the life of the charger. Constructed of injection molded nylon. Installation is as easy as drilling a 3/16" hole for the wire connection, secure to surface with two #6 screws (not included) and snapping concealed fastener cover in place. Output DC: 5V/6A. Input: 8-32VDC. USB-C Watts: 60W@24V. USB 3.0 Watts: 36W@12V. Blue LED illumination. IP65 rating. CE, RoHS compliant.

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



SURFACE MOUNT - OVAL USB 3.0 & USB-C POWER SOCKET

Injection Molded Nylon



Bulk	Display	A	B	C	Volts	Total Output	USB-C	USB-A	Wt.(lb.)	Std. Pack
426535	426535-1	2-3/8"	1-15/16"	3/4"	8-32	5V/6A	60W@24V	36W@12V	.07	10 ea




This Oval Surface Mount USB 3.0 & USB-C Power Socket charges two devices simultaneously. When split, the total 6A output is 3A per side. USB 3.0 features Quick Charging (QC) for supported devices, giving enough power to charge phones, pads, and tablets quickly and efficiently. USB-C features Power Delivery (PD) for faster and more flexible charging. Protective dust cap extends the life of the charger. Constructed of injection molded nylon. Installation is as easy as drilling a 3/16" hole for the wire connection, secure to surface with two #6 screws (not included) and snapping concealed fastener cover in place. Output DC: 5V/6A. Input: 8-32VDC. USB-C Watts: 60W@24V. USB 3.0 Watts: 36W@12V. Blue LED illumination. IP65 rating. CE, RoHS compliant.

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



BUSS BAR WITH COVER

Tin Plated Copper/ABS/Polycarbonate



Bulk	Display	Terminals	A	B	C	Max. Amps	Fastener	Wt.(lb.)	Std. Pack
n/a	426691-3	4	5-1/2"	2-3/4"	1-11/16"	300	#8 FH	.59	1 ea



This Bus Bar is designed for positive or negative DC distribution or collection of AC neutral or safety ground circuits. Constructed of corrosion resistant tin-plated copper and ABS with a polycarbonate cover. Includes four 5/16"-18 stainless steel stud terminals. Installs with four #8 FH fasteners (not included). Maximum: 48VDC, 300A; 300VAC, 300A. CE, RoHS compliant.

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



BUSS BAR WITH COVER

Tin Plated Copper/ABS/Polycarbonate



Bulk	Display	Terminals	A	B	C	Max. Amps	Fastener	Wt.(lb.)	Std. Pack
n/a	426692-3	6	5-1/2"	2-3/4"	1-11/16"	300	#8 FH	.68	1 ea




This Bus Bar is designed for positive or negative DC distribution or collection of AC neutral or safety ground circuits. Constructed of corrosion resistant tin-plated copper and ABS with a polycarbonate cover. Includes two 5/16"-18 stainless steel stud terminals and six #10-32 stainless steel terminal screws. Installs with four #8 FH fasteners (not included). Maximum: 48VDC, 300A; 300VAC, 300A. CE, RoHS compliant.

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



DUAL BUSS BAR WITH COVER

Tin Plated Copper/ABS/Polycarbonate



Bulk	Display	Terminals	A	B	C	Max. Amps	Fastener	Wt.(lb.)	Std. Pack
n/a	426693-3	12	5-1/2"	2-3/4"	1-11/16"	150	#8 FH	.59	1 ea


This Dual Bus Bar is designed for DC positive or negative distribution on one block or AC neutral and safety ground collection on one block. Constructed of corrosion resistant tin-plated copper and ABS with a polycarbonate cover. Includes two 1/4"-20 stainless steel terminal studs and six #8-32 stainless steel terminal screws per bus. Installs with four #8 FH fasteners (not included). Maximum: 48VDC, 150A per buss; 300VAC, 150A per buss. CE, RoHS compliant.

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



FENDER HOOK

Investment Cast 316 Stainless Steel



Bulk	Display	A	B	C	Line Size	Fastener	Wt.(lb.)	Std. Pack
672560	672560-1	1-1/4"	5/8"	2-1/16"	1/4"-3/8"	#8 FH	.24	10 ea

This Fender Hook can be used for quick and easy placement of fenders. Designed to be installed on the gunwale for use with up to 3/8" line. Spring loaded hook keeps line captive against surface. Constructed of corrosion resistant investment cast 316 stainless steel with rubber gasket. Installs with two #8 FH fasteners (not included).



⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

PADDLE SPORTS




NEW

FROM

SEADOG[®]LINE
QUALITY MARINE GEAR

WEBBING HANDLE W/ CAPS KIT

Injection Molded Nylon/Webbing




Bulk	Display	A	B	C	D	Fastener	Wt.(lb.)	Std. Pack
n/a	227462-9	11-1/2"	10"	5"	1"	#10 PH	.19	10 kits

This Webbing Lift Handle is easy to hold even when wet. Ideal for replacement of worn or torn handles or to add another handle to make it easier to carry your kayak, paddle board, or canoe. Works for both end and side carry handles. Includes nylon end caps. Kit includes: Webbing handle (1), End caps (2), 10-32 X 1" PH machine screws (2), 10-32 Nyloc nuts (2), and #10 Fender washers (2). Constructed of nylon webbing with an injection molded nylon handle. Installs with two #10 RH fasteners (not included) or on an inflatable boat with use of the proper adhesive.



FOLDING ANCHOR KIT - ECONOMY

Hot Dipped Galvanized Iron/Forged Flukes



Bulk	Display	A	B	Boat Length	Line / Length	Wt.(lb.)	Std. Pack
n/a	318003K1-1	1/2"	20'	5' - 12'	3/16" / 20'	3.5	1 ea

Our Economy Folding Anchor Kit includes everything you need to get started. It comes complete with our popular 3.5 lb. folding anchor, 20' of 3/16" line and a handy mesh bag. Constructed of hot dipped galvanized iron with forged flukes.

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov


PERFORMANCE ANCHOR TROLLEY KIT

Injection Molded Nylon/Stainless Steel/Polyester



Bulk	Display	Description	Fasteners Included	Wt.(lb.)	Std. Pack
n/a	318110-9	Performance Anchor Trolley Kit	Yes	.80	5 kits

Our Performance Anchor Trolley Kit is an essential tool for the Pro Angler. It features a zig cleat for easy, one-handed adjustability. The durable, one-piece cheek blocks operate silently so you won't scare fish in the water below. When the need arises to wade through the water, easily unclip the custom designed ring and use the system as a leash. Kit includes: 30' of 3/16" polypro deck line (1), zig cleat (1), ring clip (1), cheek blocks (2), nylon pad eyes (6), 10-32 X 3/4" PH machine screws (10), 10-32 Nyloc nuts (10), #10 flat washers (10), and well nuts (10). Proudly constructed in the USA of injection molded nylon, stainless steel, and polyester.



⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

TRIPLE THREAT™ ROD HOLDER - SURFACE MOUNT

Injection Molded Glass Filled Nylon



Bulk	Display	Base	Fastener	Wt.(lb.)	Std. Pack
n/a	325412-1	Surface Mount	1/4" FH	1.08	5 ea
n/a	325430-1	Track Mount Base Only		.10	10 ea
n/a	325472-1	Surface Mount Base Only		.10	10 ea

The Triple Threat™ Rod Holder is your one stop for all your reel styles. Spin, bait cast, or fly reel; this rod holder can handle it all! The quarter turn knob allows for easy adjusting of the angle of the rod with a quick twist. The rear bail facilitates vertical storage of rods while moving from one location to another. Attachment points on the base give you a solid clip point for leashing your rod and reel while paddling in rough conditions. Proudly constructed in the USA of injection molded glass filled nylon.

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



TRIPLE THREAT™ ROD HOLDER - TRACK MOUNT


Injection Molded Glass Filled Nylon



Bulk	Display	Base	Wt.(lb.)	Std. Pack
n/a	325416-1	Track Mount	1.07	5 ea
n/a	325430-1	Track Mount Base Only	.10	10 ea
n/a	325472-1	Surface Mount Base Only	.10	10 ea

The Triple Threat™ Rod Holder is your one stop for all your reel styles. Spin, bait cast, or fly reel; this rod holder can handle it all! The quarter turn knob allows for easy adjusting of the angle of the rod with a quick twist. The rear bail facilitates vertical storage of rods while moving from one location to another. Attachment points on the base give you a solid clip point for leashing your rod and reel while paddling in rough conditions. Proudly constructed in the USA of injection molded glass filled nylon.

▲WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



TRIPLE THREAT™ ROD HOLDER - TRACK MOUNT WITH EXTENSION


Injection Molded Glass Filled Nylon



Bulk	Display	A	B	Wt.(lb.)	Std. Pack
n/a	325425-1	6"	245°	1.25	5 ea
n/a	325430-1	Track Mount Base Only		.10	10 ea
n/a	325472-1	Surface Mount Base Only		.10	10 ea

The Triple Threat™ Rod Holder is your one stop for all your reel styles. Spin, bait cast, or fly reel; this rod holder can handle it all! The quarter turn knob allows for easy adjusting of the angle of the rod with a quick twist. The rear bail facilitates vertical storage of rods while moving from one location to another. Attachment points on the base give you a solid clip point for leashing your rod and reel while paddling in rough conditions. Proudly constructed in the USA of injection molded glass filled nylon.

▲WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



QUARTER-TURN DECK PLATE WITH INTERNAL COLLAR


Injection Molded ABS



Bulk	Display	A	B	C	D	Color	Lid Texture	Fastener	Wt.(lb.)	Std. Pack
336345	336345-1	4-1/2"	6-1/8"	4-1/2"	5-3/8"	Black	Smooth	#8 FH	.28	10 ea
336355	336355-1	5-1/2"	6-3/4"	5-3/8"	6-1/8"	Black	Smooth	#8 FH	.32	10 ea
336365	336365-1	6-1/2"	8-1/8"	6-1/2"	7-3/8"	Black	Smooth	#8 FH	.41	10 ea
336385	336385-1	8-5/16"	9-7/8"	8-1/4"	8-15/16"	Black	Smooth	#8 FH	.55	10 ea

These Quarter-Turn Deck Plates feature a new locking system that prevents over tightening, jamming, or cross threading. An internal, molded-in collar on the bottom holds deck plate bags or other round containers. When installing, use silicone sealant on hull or deck surface. Keep threads clean with hot, soapy water. Lubricate with Vaseline or Teflon grease. Avoid contact with acetone or strong solvents. Proudly constructed in the USA of UV resistant injection molded ABS. Installs with six #8 FH fasteners (not included).

▲WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



TRIPLE LATCH RECTANGULAR MARINE HATCH

Injection Molded Polypropylene



Bulk	Display	A	B	C	D	E	Color	Fastener	Wt.(lb.)	Std. Pack
336520	336520-3	10-1/4"	14"	1-11/16"	11-13/16"	7-3/4"	White	#10 FH	1.92	1 ea
336525	336525-3	10-1/4"	14"	1-11/16"	11-13/16"	7-3/4"	Black	#10 FH	1.92	1 ea


This Triple Latch Marine Deck Hatch features 3 locking points which when engaged cause the camming surface to pull the lid into the gasket creating a water tight seal. Proudly constructed in the USA of injection molded polypropylene with a structural honeycomb lid for superior rigidity and strength. Non-slip textured surface. Can be mounted horizontally or vertically. Full length piano hinge for added strength and security. Interior opening is 11-1/8" X 7" and will accept group 24 series size batteries. Installs with ten #10 FH fasteners (not included). Available in black or white.

▲WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



DECK PLATE BAG

Nylon/Stainless Steel Ring



Bulk	Display	A	B	Wt.(lb.)	Std. Pack
n/a	337149R-1	4"	10"	.12	10 ea
n/a	337159R-1	5"	10"	.14	10 ea
n/a	337169R-1	6"	10"	.16	10 ea
n/a	337189R-1	8"	12"	.18	10 ea

Great for keeping your valuables dry while paddling. Fits all Sea-Dog® Deck Plates with Internal Collar. High visibility red color.



SAE POWER CABLE

Injection Molded PVC



Bulk	Display	A (Length)	Volts	Max Amps	Wire Gauge	Wt.(lb.)	Std. Pack
n/a	426901-1	12"	12-24	20A @ 12V	14 AWM	.11	10 ea
n/a	426903-1	36"	12-24	20A @ 12V	14 AWM	.17	10 ea
n/a	426906-1	72"	12-24	20A @ 12V	14 AWM	.26	5 ea
n/a	426912-1	144"	12-24	20A @ 12V	14 AWM	.44	5 ea


SAE type Polarized Electrical Connector is a two-prong plug and socket connector set. 14-gauge duplex wire. Maximum: 20A @ 12VDC.

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



SAE POWER CABLE Y-SPLITTER

Injection Molded PVC



Bulk	Display	A (Length)	Volts	Max Amps	Wire Gauge	Wt.(lb.)	Std. Pack
n/a	426920-1	12"	12-24	20A @ 12V	14 AWM	.15	10 ea


SAE type Polarized Electrical Connector is a two-prong plug and socket Y-splitter connector set. 14-gauge duplex wire. Maximum: 20A @ 12VDC.

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



SAE POWER CABLE ATO/ATC INLINE FUSE HOLDER

Injection Molded PVC



Bulk	Display	A (Length)	Volts	Max Amps	Wire Gauge	Wt.(lb.)	Std. Pack
n/a	426925-1	12"	12-24	20A @ 12V	14 AWM	.15	10 ea


SAE type Polarized Electrical Connector is a two-prong plug and socket connector set. Features an ATO/ATC inline fuse holder (fuse not included). 14-gauge duplex wire. Maximum: 20A @ 12VDC.

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



SAE POWER CABLE POWER PLUG KIT


Injection Molded PVC



Bulk	Display	A (Length)	Volts	Max Amps	Wire Gauge	Wt.(lb.)	Std. Pack
n/a	426930-1	6"	12-24	20A @ 12V	14 AWM	.08	10 ea

SAE type Polarized Electrical Plug Kit is a two-prong plug and socket connector set. 14-gauge lead wire with bullet-type contact pins. Includes two plugs, four heat shrink tubes, and four butt connectors allowing you to customize your set per application. Maximum: 20A @ 12VDC.

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



SAE POWER SOCKET - FRONT MOUNT


Injection Molded PVC



Bulk	Display	A	B	C	D	Volts	Max Amps	Wire Gauge	Wt.(lb.)	Std. Pack
n/a	426950-1	5"	1-1/4"	1"	3/4"	12-24	20A @ 12V	14 AWM	.12	10 ea

SAE type Polarized Electrical Connector is a two-prong power socket connector set. Great for solar panel connections and maintaining battery charge. 14-gauge duplex wire. Drill 3/4" hole and install with two #10 RH screws (not included). Maximum: 20A @ 12VDC.

▲WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



SAE POWER SOCKET - BACK NUT MOUNT


Injection Molded PVC



Bulk	Display	A	B	C	D	Volts	Max Amps	Wire Gauge	Wt.(lb.)	Std. Pack
n/a	426955-1	5"	1-13/16"	1"	7/8"	12-24	20A @ 12V	14 AWM	.13	10 ea

SAE type Polarized Electrical Connector is a two-prong power socket connector set. Great for Solar panel connections and maintaining wire. Installation is as easy as drilling a 7/8" hole, inserting the socket body, tightening the locking nut and connecting the wires. Maximum: 20A @ 12VDC.

▲WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



PERFORMANCE PADDLE CLIP KIT


Injection Molded Nylon/Stainless Steel



Bulk	Display	A	B	Fastener	Wt.(lb.)	Std. Pack
n/a	491361-9	1-1/8"	4"	1/4" PH	.18	10 kits

This one-piece Performance Paddle Clip allows for simple, one-handed storage of your paddle. Features an anti-snap ramp to prevent line from getting stuck under the clip when not in use, and leash attachment points for securing a paddle leash. Kit includes: Paddle clip (1), 10-32 X 1" PH machine screws (2), 10-32 Nyloc nuts (2), #10 flat washers (2), and #10 well nuts (2). Proudly constructed in the USA of UV resistant injection molded nylon with stainless steel hardware.

▲WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



DRAIN PLUG KIT

Injection Molded Nylon



Bulk	Display	A	B	Fasteners Included	Wt.(lb.)	Std. Pack
n/a	520010-9	1"	1-1/2"	Yes	.08	10 kits

This Drain Plug was designed with a molded-in recess in the base to trap sealant to provide a watertight seal. For transom installations, baitwells, ice chests, tanks, etc. Kit includes: Drain plug and base (1), foam gasket (1), 10-32 X 1" OH machine screws (2), 10-32 Nyloc nuts (2), #10 flat washers (2), and #10 well nuts (2). Proudly constructed in the USA of UV resistant injection molded nylon with stainless steel hardware.

▲WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



PADDLE & POLE KEEPER KIT

Injection Molded Nylon/Polypropylene



Bulk	Display	Description	Fasteners Included	Wt.(lb.)	Std. Pack
n/a	671400-9	Paddle & Pole Keeper Kit	Yes	.34	5 kits

This Paddle & Pole Keeper Kit lets you easily store your pole or paddle and frees up your hands for other activities! Kit includes: 18" of 1/4" bungee (2), bungee terminal ends w/ sleeve (4), lashing hooks w/ one hole (2), 10-32 X 3/4" PH machine screws (6), 10-32 Nyloc nuts (6), #10 flat washers (6), trifold pop rivets (6), and easy installation instructions. Proudly constructed in the USA of injection molded nylon and polypropylene with stainless steel hardware.

▲WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



PULL-UP STRAP HANDLE KIT

Nylon/Stainless Steel




Bulk	Display	Description	Fasteners Included	Wt.(lb.)	Std. Pack
n/a	736470-9	Pull-up Strap Handle Kit	Yes	.75	5 kits

Whether you are looking to fish from a standing position on your sit-on-top kayak, or just need a little assistance getting out of the boat, the Pull-Up Strap Handle Kit can be easily installed on any kayak. Kit includes: Webbing w/ grab loop - 74" X 1" (1), 1" webbing slide (1), stainless steel eye strap (1), 10-32 X 3/4" OH machine screws (2), 10-32 Nyloc nuts (2), and #10 fender washers (2). Constructed of nylon with stainless steel hardware.



4" TRACK KIT

Polycarbonate



Bulk	Display	A	B	C	D	Color	Fastener	Wt.(lb.)	Std. Pack
n/a	738504-9	1-1/4"	3-1/4"	2"	4"	Black	#8 PH	.10	10 kits


This 4" Track features an industry standard groove for versatile mounting of all your paddling and fishing gear. Proudly constructed in the USA of black polycarbonate. Kit includes: 4" track (1), 8-32 X 1" PH machine screws (4), #8 Nyloc nuts (4), #8 FH washers (4), and #8-32 well nuts (4).

⚠️WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



6" TRACK KIT

Polycarbonate



Bulk	Display	A	B	C	Color	Fastener	Wt.(lb.)	Std. Pack
n/a	738506-9	1-3/4"	6"	3/8"	Black	#8 PH	.10	10 kits


This 6" Track features an industry standard groove for versatile mounting of all your paddling and fishing gear. Proudly constructed in the USA of black polycarbonate. Kit includes: 6" track (1), 8-32 X 3/4" PH machine screws (6), #8 Nyloc nuts (6), #8 FH washers (6), and #8-32 well nuts (6).

⚠️WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



12" CURVED TRACK KIT


Polycarbonate



Bulk	Display	A	B	C	Color	Fastener	Wt.(lb.)	Std. Pack
n/a	738512-9	1-3/4"	12"	3/8"	Black	#8 PH	.10	10 kits

This 12" Curved Track fits the contour of your kayak's gunwale. Features an industry standard groove for versatile mounting of all your paddling and fishing gear. Proudly constructed in the USA of black polycarbonate. Kit includes: 12" curved track (1), 8-32 X 3/4" PH machine screws (6), #8 Nyloc nuts (6), #8 FH washers (6), and #8-32 well nuts (6).

⚠️WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



KAYAK HATCH COVERS - VCP OVAL

Injection Molded Polymer




Bulk	Display	Description	A	B	C	Style	Wt.(lb.)	Std. Pack
n/a	745270-1	Lid Only	17-1/4"	2"	10"	Performance	1.30	1 ea

The VCP Oval Hatch Cover is a great as a replacement for lost or damaged lids. This performance hatch features our unique two-part construction for maximum protection. Designed to float when dropped in the water, the hatch lids are easy to attach while still offering a superior watertight seal. Proudly constructed in the USA using the highest-quality injection molded polymer.

Our VCP Oval hatch is compatible with the Valley Canoe Products® (VCP) oval hatch when mounted on an injection molded rim bolted/glued to the deck; not recommended for rotomolded kayaks that do not feature this rim (*Sea-Dog® is not affiliated with Valley Sea Kayaks® and/or Kayak Sport®, reference to these brands only indicates similar sizing of hatch cover products).

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



KAYAK HATCH COVERS - 8" VCP ROUND

Injection Molded Polymer




Bulk	Display	Description	A	B	Style	Wt.(lb.)	Std. Pack
n/a	746180-1	Lid Only	8"	1-3/8"	Performance	.55	1 ea

This 8" Round Hatch Cover is a great as a replacement for lost or damaged lids. This performance hatch features our unique two-part construction for maximum protection. Designed to float when dropped in the water and is easy to attach while still offering a superior watertight seal. Proudly constructed in the USA using the highest-quality injection molded polymer.

Compatible with the Valley Canoe Products® (VCP) round day hatch when mounted on an injection molded rim bolted/glued to the deck; not recommended for rotomolded kayaks that do not feature this rim (*Sea-Dog® is not affiliated with Valley Sea Kayaks® and/or Kayak Sport®, reference to these brands only indicates similar sizing of hatch cover products).

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



KAYAK ADJUSTABLE FOOTBRACE

Injection Molded Polypropylene/Fiberglass/Nylon


PATENTED



Bulk	Display	A	B	C	Flag	Rod Color	Wt.(lb.)	Std. Pack
n/a	747100B-1	20-1/4"	4-1/4"	14-1/2"	Standard	Black	1.40	5 pr

The Kayak Adjustable Footbrace has 10" of adjustable travel with only the flip of the lever. The two mounting holes (measuring 14-1/2" apart) fit most existing footbrace patterns. The entire unit is designed to be maintenance free and self-cleaning while offering superior strength. In addition, the ergonomically designed pedals are extremely comfortable... even with bare feet. Thru-hole mounting for easy user installation. Proudly constructed in the USA of injection molded polypropylene and glass filled nylon. Patent #7,168,388.

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



KAYAK ADJUSTABLE FOOTBRACE W/ RUDDER CONTROL

Injection Molded Polypropylene/Fiberglass/Nylon



Bulk	Display	A	B	C	Flag	Rod Color	Wt.(lb.)	Std. Pack
n/a	747200B-1	20-1/4"	4-1/4"	14-1/2"	Standard	Black	2.00	5 pr


Our Kayak Adjustable Footbrace w/ Rudder Control offers the same great benefits as its fixed counterpart with the added benefit of rudder control capabilities. One of the easiest footbraces to adjust while on the water. Proudly constructed in the USA of injection molded polypropylene and glass filled nylon.

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



KAYAK RECREATIONAL FOOTBRACE

Injection Molded Polypropylene/Fiberglass/Nylon



Bulk	Display	A	B	C	Fastener Size	Style Type	Wt.(lb.)	Std. Pack
n/a	747520-1	15-5/8"	4-1/4"	14-1/2"	1/4"	Thru Hull	.95	5 pr

The Kayak Recreational Footbrace features superior strength and is designed to be maintenance free. The low profile pedal make installation easy. This footbrace system is a dream for OEM installations and a perfect option for replacement applications. Proudly constructed in the USA of of injection molded polypropylene and glass filled nylon.


▲WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



KAYAK RECREATIONAL FOOTBRACE

W/ RUDDER CONTROL

Injection Molded Polypropylene/Fiberglass/Nylon



Bulk	Display	A	B	C	Fastener Size	Track Type	Wt.(lb.)	Std. Pack
n/a	747600-1	15-5/8"	4-3/8"	14-1/2"	1/4"	Standard	1.55	5 pr

This Kayak Recreational Footbrace with Rudder Control includes the addition of a channeled track to slide in adding rudder control functionality to our standard Recreational Footbrace. Proudly constructed in the USA of injection molded polypropylene and glass filled nylon.


▲WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



KAYAK RECREATIONAL ANGLED FOOTBRACE

W/ RUDDER CONTROL

Injection Molded Polypropylene/Fiberglass/Nylon



Bulk	Display	A	B	C	Fastener Size	Track Type	Wt.(lb.)	Std. Pack
n/a	747650B-1	15-5/8"	4-3/8"	14-1/2"	1/4"	Standard	1.70	5 pr
n/a	747750B-1	Angled Recreational Footbrace Upgrade Kit					.40	8 pr

The Angled Footbrace with rudder control slides are perfect for rudder and motor control steering. The footbraces are designed for sit-on-top kayaks or canoes with a raised seat providing ergonomic and comfortable foot placement. The wider, longer pedal shape is secure and barefoot friendly. With an adjustment range of 11-1/2" they can be set to fit almost anyone. The Angled Foot Pedal upgrade option is interchangeable with any of our Sea-Dog trigger adjusted Recreational Footbraces. Slotted mounting holes accommodating 14-1/8" to 14-5/8" center-to-center applications. Proudly designed and constructed in the USA of injection molded polypropylene and glass filled nylon.




▲WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



KAYAK RECREATIONAL ANGLED FOOTBRACE

Injection Molded Polypropylene/Fiberglass/Nylon




Bulk	Display	A	B	C	Fastener Size	Style Type	Wt.(lb.)	Std. Pack
n/a	747710B-1	15-5/8"	3-7/8"	14-1/2"	1/4"	Stud Mount	.80	5 pr
n/a	747720B-1	15-5/8"	3-7/8"	14-1/2"	1/4"	Thru Hull	.80	5 pr
n/a	747750B-1	Angled Recreational Footbrace Upgrade Kit					.40	8 pr

The Angled Footbrace is designed for sit-on-top kayaks or canoes with a raised seat providing ergonomic and comfortable foot placement. The wider, longer pedal shape is secure and barefoot friendly. With an adjustment range of 11-1/2" they can be set to fit almost anyone. The Angled Foot Pedal upgrade option is interchangeable with any of our Sea-Dog trigger adjusted Recreational Footbraces. Multiple track options cover most mounting requirements with slotted mounting holes accommodating 14-1/8" to 14-5/8" center-to-center applications. Proudly designed and constructed in the USA of injection molded polypropylene and glass filled nylon.



▲WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



RUDDER CABLE TUBING KIT

Nylon



Bulk	Display	A (Tubing Size)	B	C (Inner Dia.)	Color	Wt.(lb.)	Std. Pack
n/a	748010-1	3/16"	15'	5/32"	Black	.20	10 pr

Kit includes: 15' sections of 3/16" rudder cable tubing (2) and 3/16" UL cable clamps (10). Proudly constructed in the USA of nylon.



RUDDER CABLE KIT


304 Stainless Steel



Bulk	Display	A (Cable Size)	B	Color	Wt.(lb.)	Std. Pack
n/a	748020-1	1/16"	15'	Steel	.25	10 pr

Kit includes: 15' sections of 1/16" rudder cable (2), thimbles (4), and swedges (4). Constructed of 304 stainless steel.

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



TRUCOURSE™ RUDDER & FOOTBRACE KIT


Injection Molding Polypropylene/Fiberglass/Nylon



Bulk	Display	A	B	C	D	E	Wt.(lb.)	Std. Pack
n/a	748100-3	17"	3"	3/8"	6-1/4"	4-1/4"	4.00	1 ea

Kit includes Trucourse™ Rudder, Kayak Adjustable Footbrace w/ Rudder Control (747200B-1) and Rudder Rigging Kit. Installation kit includes most items needed to attach a rudder to a kayak with an existing mounting gudgeon, including cable, tubing, pull line, cleats and fasteners. Mounting gudgeons sold separately. Proudly constructed in the USA of injection molded polypropylene and glass filled nylon.

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



TRUCOURSE™ RUDDER MOUNTING GUDGEON (UNIVERSAL BRACKET)

Stamped 304 Stainless Steel



Bulk	Display	A	B	C	Wt.(lb.)	Std. Pack
n/a	748270-1	2-3/4"	1-1/4"	2-1/2"	.30	5 ea

This gudgeon is required to mount our Trucourse™ Rudder to kayaks with pre-tapped mounting holes with screw inserts found on the stern of the kayak (includes Wilderness System®, Necky®, Ocean Kayak®, Emotion®, and more). Constructed of stamped 304 stainless steel.



DECK BUNGEE KIT

Injection Molding Nylon/Polypropylene




Bulk	Display	Description	Fasteners Included	Wt.(lb.)	Std. Pack
n/a	749530-9	Deck Bungee Kit	Yes	.50	5 kits

This kit comes with everything needed to add an additional deck bungee to any kayak. Just set your pattern, drill your holes, tie your knots and you are ready to go. Kit includes: 11' of 1/4" bungee (1), 3/8" pad eyes (6), 8-32 X 3/4" OH machine screws (12), #8-32 Nyloc nuts (12), and #8 flat washers (12). Proudly constructed in the USA of injection molded nylon and polypropylene.

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

SEADOG[®]LINE

QUALITY MARINE GEAR



A. PO Box 479
Everett, WA 98206
P. 425-259-0194
F. 425-339-1345
W. Sea-Dog.com

SEADOG[®]LINE
QUALITY MARINE GEAR