



ROPE & CORDAGE

Sea-Dog offers a comprehensive line of rope, twine, and cordage for the marine industry. Over 280 items with assorted materials, sizes, and colors.



PO Box 479
Everett, WA 98206

Office: 425-259-0194
Fax: 425-339-1345

SEA-DOG.COM

Contact Us

Orders.....orders@sea-dog.com
Customer Service OEM.....custservo@sea-dog.com
Customer Service After Market.....custserva@sea-dog.com
Artwork & Photography.....graphics@sea-dog.com
Purchasing.....purch1@sea-dog.com
Operations.....operations@sea-dog.com

Rope & Cordage

Sea-Dog offers a comprehensive line of ropes, twine, and cordage for the marine industry. We have over 280 items with assorted materials, sizes, and colors to satisfy every boater's needs and tastes. Our superior products feature UV and abrasion resistance for longevity and value. Resistance to rot, mildew, gasoline, oil, and many common chemicals make them ideal for the harsh marine environment. Always flexible and easy to handle, our products enhance the onboard experience.

Our cordage products are displayed in attractive, reclosable clamshell packaging to improve the consumer experience and simplify store merchandising; setting up a comfortable, profitable, and productive retail store environment.

Sea-Dog's award winning merchandising program extends to our cordage selection with the offering of our Cordage Spinner (#916001-CR). From dock lines and fender lines to accessories like snubbers, whipping twine, and Dacron cord, the 152 items representing 65 sku's create a cordage one-stop-shop in a compact space. By offering top quality products at competitive prices, together we can provide your customers with a more productive and enjoyable shopping experience.

Color Selection



Reflective Tracer

Teal

Red

White

Navy

Green

Gold/White

Blue

Burgundy

Black

Display Packaging



Cordage Center Spinner #916001-CR

SEA-DOG's popular Spinning Merchandiser is now available for our packaged cordage products.

With 65 different products in a multitude of colors, the #916001-CR features a range of twisted and double braided nylon dock lines, yellow polypropylene anchor lines with snaps, and fender lines. The spinner also includes cordage accessories such as whipping twine, rubber snubbers, and solid braid Dacron cord. The items on our Cordage Spinner are designed to service the small dinghy or tender all the way up to a 34-foot cruiser.

All dock lines are manufactured from 100% premium nylon in a wide range of sizes and colors, including red, green, blue, black, teal, and white. All are professionally spliced with an eye and are yacht whipped at the bitter end. The Cordage Spinner packs a lot of top-selling product in a compact space and the bright colors make it a striking point of purchase display on a showroom floor.


This spinner ships complete with the rack, grey plastic panels, safety peg hooks, back tags, and new "Cordage Center" 3-sided topper sign.



Cordage Accessories #916050

All the tools you need to splice, whip, seal, and cut our new cordage. It also includes our popular leather mooring line chafe kits in 3/8", 1/2", 5/8" and 3/4".

All panels come pre-loaded with two each of every product on six inch hooks and back tags for every item. This display takes the guess work out of which cordage accessories to stock.



PERFORMANCE GRADE DOCK LINE

Twisted Nylon




Display	A (Dia.)	B (Length)	C (Eye Size)	Color	WLL-kgs/lbs	B.S.-kgs/lbs	Wt.(lb.)	Std. Pack
301410015WH-1	3/8"	15'	12"	White	370/815	1850/3750	.40	12 ea
301410020WH-1	3/8"	20'	12"	White	370/815	1850/3750	.45	12 ea
301410025WH-1	3/8"	25'	12"	White	370/815	1850/3750	.50	12 ea
301412020WH-1	1/2"	20'	12"	White	415/915	2080/4200	.48	12 ea
301412025WH-1	1/2"	25'	12"	White	415/915	2080/4200	.55	12 ea
301412030WH-1	1/2"	30'	12"	White	415/915	2080/4200	.58	12 ea
301416030WH-1	5/8"	30'	15"	White	900/1980	4500/9100	.65	12 ea

- 100% performance grade twisted three-strand nylon
- Balanced multi-stage, heat stabilized finish
- Stays flexible with minimal shrinkage
- Professionally hand-spliced with five tucks
- Yacht whipped at the bitter end and splice point
- Comes in an attractive, reclosable clamshell package


DOCK LINE

Twisted Nylon



Display	A (Dia.)	B (Length)	C (Eye Size)	Color	WLL-kgs/lbs	B.S.-kgs/lbs	Wt.(lb.)	Std. Pack
301110010BK-1	3/8"	10'	12"	Black	370/815	1850/3750	.35	12 ea
301110010BL-1	3/8"	10'	12"	Blue	370/815	1850/3750	.35	12 ea
301110010WH-1	3/8"	10'	12"	White	370/815	1850/3750	.35	12 ea
301110015BK-1	3/8"	15'	12"	Black	370/815	1850/3750	.40	12 ea
301110015BL-1	3/8"	15'	12"	Blue	370/815	1850/3750	.40	12 ea
301110015WH-1	3/8"	15'	12"	White	370/815	1850/3750	.40	12 ea
301110020BK-1	3/8"	20'	12"	Black	370/815	1850/3750	.45	12 ea
301110020BL-1	3/8"	20'	12"	Blue	370/815	1850/3750	.45	12 ea
301110020WH-1	3/8"	20'	12"	White	370/815	1850/3750	.45	12 ea
301110025BK-1	3/8"	25'	12"	Black	370/815	1850/3750	.50	12 ea
301110025BL-1	3/8"	25'	12"	Blue	370/815	1850/3750	.50	12 ea
301110025WH-1	3/8"	25'	12"	White	370/815	1850/3750	.50	12 ea
301110050WH-1	3/8"	50'	12"	White	370/815	1850/3750	1.00	6 ea
301112010BK-1	1/2"	10'	12"	Black	415/915	2080/4200	.37	12 ea
301112010BL-1	1/2"	10'	12"	Blue	415/915	2080/4200	.37	12 ea
301112010WH-1	1/2"	10'	12"	White	415/915	2080/4200	.37	12 ea
301112015BK-1	1/2"	15'	12"	Black	415/915	2080/4200	.40	12 ea
301112015BL-1	1/2"	15'	12"	Blue	415/915	2080/4200	.40	12 ea
301112015WH-1	1/2"	15'	12"	White	415/915	2080/4200	.40	12 ea
301112020BK-1	1/2"	20'	12"	Black	415/915	2080/4200	.45	12 ea
301112020BL-1	1/2"	20'	12"	Blue	415/915	2080/4200	.45	12 ea
301112020WH-1	1/2"	20'	12"	White	415/915	2080/4200	.45	12 ea
301112025BK-1	1/2"	25'	12"	Black	415/915	2080/4200	.50	12 ea
301112025BL-1	1/2"	25'	12"	Blue	415/915	2080/4200	.50	12 ea
301112025WH-1	1/2"	25'	12"	White	415/915	2080/4200	.50	12 ea
301112030BK-1	1/2"	30'	12"	Black	415/915	2080/4200	.52	6 ea
301112030BL-1	1/2"	30'	12"	Blue	415/915	2080/4200	.52	6 ea
301112030WH-1	1/2"	30'	12"	White	415/915	2080/4200	.52	6 ea
301112035BK-1	1/2"	35'	12"	Black	415/915	2080/4200	.55	6 ea
301112035WH-1	1/2"	35'	12"	White	415/915	2080/4200	.55	6 ea
301112050WH-1	1/2"	50'	12"	White	415/915	2080/4200	1.00	6 ea
301116015BK-1	5/8"	15'	15"	Black	900/1980	4500/9100	.47	6 ea
301116015WH-1	5/8"	15'	15"	White	900/1980	4500/9100	.47	6 ea
301116020BK-1	5/8"	20'	15"	Black	900/1980	4500/9100	.50	6 ea
301116020WH-1	5/8"	20'	15"	White	900/1980	4500/9100	.50	6 ea
301116025BK-1	5/8"	25'	15"	Black	900/1980	4500/9100	.55	6 ea
301116025WH-1	5/8"	25'	15"	White	900/1980	4500/9100	.55	6 ea
301116035BK-1	5/8"	35'	15"	Black	900/1980	4500/9100	.60	6 ea
301116035WH-1	5/8"	35'	15"	White	900/1980	4500/9100	.60	6 ea
301116050BK-1	5/8"	50'	15"	Black	900/1980	4500/9100	.75	4 ea
301116050WH-1	5/8"	50'	15"	White	900/1980	4500/9100	.75	4 ea
301119015BK-1	3/4"	15'	18"	Black	1060/2330	5300/10700	.55	6 ea
301119015WH-1	3/4"	15'	18"	White	1060/2330	5300/10700	.55	6 ea
301119025BK-1	3/4"	25'	18"	Black	1060/2330	5300/10700	.60	6 ea
301119025WH-1	3/4"	25'	18"	White	1060/2330	5300/10700	.60	6 ea
301119035BK-1	3/4"	35'	18"	Black	1060/2330	5300/10700	.65	6 ea
301119035WH-1	3/4"	35'	18"	White	1060/2330	5300/10700	.65	6 ea
301119050BK-1	3/4"	50'	18"	Black	1060/2330	5300/10700	.85	2 ea

- 100% premium twisted three-strand nylon
- High strength with superior stretch for the shock loads of boat wakes and harbor surges
- Superior abrasion resistance to counteract chafe
- Professionally hand-spliced with five tucks
- Yacht whipped at the bitter end and splice point
- All lines are medium lay
- Comes in an attractive, reclosable clamshell package



PREMIUM DOCK LINE


Double Braided Nylon

Display	A (Dia.)	B (Length)	C (Eye Size)	Color	WLL-kgs/lbs	B.S.-kgs/lbs	Wt.(lb.)	Std. Pack
302110010BG-1	3/8"	10'	12"	Burgundy	376/825	1880/3800	.35	12 ea
302110010BK-1	3/8"	10'	12"	Black	376/825	1880/3800	.35	12 ea
302110010BL-1	3/8"	10'	12"	Blue	376/825	1880/3800	.35	12 ea
302110010G/W-1	3/8"	10'	12"	Gold/White	376/825	1880/3800	.35	12 ea
302110010NV-1	3/8"	10'	12"	Navy	376/825	1880/3800	.35	12 ea
302110010WH-1	3/8"	10'	12"	White	376/825	1880/3800	.35	12 ea
302110015BG-1	3/8"	15'	12"	Burgundy	376/825	1880/3800	.45	12 ea
302110015BK-1	3/8"	15'	12"	Black	376/825	1880/3800	.45	12 ea
302110015BL-1	3/8"	15'	12"	Blue	376/825	1880/3800	.45	12 ea
302110015G/W-1	3/8"	15'	12"	Gold/White	376/825	1880/3800	.45	12 ea
302110015GN-1	3/8"	15'	12"	Green	376/825	1880/3800	.45	12 ea
302110015NV-1	3/8"	15'	12"	Navy	376/825	1880/3800	.45	12 ea
302110015RD-1	3/8"	15'	12"	Red	376/825	1880/3800	.45	12 ea
302110015TL-1	3/8"	15'	12"	Teal	376/825	1880/3800	.45	12 ea
302110015WH-1	3/8"	15'	12"	White	376/825	1880/3800	.45	12 ea
302110020BG-1	3/8"	20'	12"	Burgundy	376/825	1880/3800	.50	12 ea
302110020BK-1	3/8"	20'	12"	Black	376/825	1880/3800	.50	12 ea
302110020BL-1	3/8"	20'	12"	Blue	376/825	1880/3800	.50	12 ea
302110020G/W-1	3/8"	20'	12"	Gold/White	376/825	1880/3800	.50	12 ea
302110020GN-1	3/8"	20'	12"	Green	376/825	1880/3800	.50	12 ea
302110020NV-1	3/8"	20'	12"	Navy	376/825	1880/3800	.50	12 ea
302110020RD-1	3/8"	20'	12"	Red	376/825	1880/3800	.50	12 ea
302110020TL-1	3/8"	20'	12"	Teal	376/825	1880/3800	.50	12 ea
302110020WH-1	3/8"	20'	12"	White	376/825	1880/3800	.50	12 ea
302110025BG-1	3/8"	25'	12"	Burgundy	376/825	1880/3800	.55	12 ea
302110025BK-1	3/8"	25'	12"	Black	376/825	1880/3800	.55	12 ea
302110025BL-1	3/8"	25'	12"	Blue	376/825	1880/3800	.55	12 ea
302110025G/W-1	3/8"	25'	12"	Gold/White	376/825	1880/3800	.55	12 ea
302110025GN-1	3/8"	25'	12"	Green	376/825	1880/3800	.55	12 ea
302110025NV-1	3/8"	25'	12"	Navy	376/825	1880/3800	.55	12 ea
302110025RD-1	3/8"	25'	12"	Red	376/825	1880/3800	.55	12 ea
302110025TL-1	3/8"	25'	12"	Teal	376/825	1880/3800	.55	12 ea
302110025WH-1	3/8"	25'	12"	White	376/825	1880/3800	.55	12 ea
302110050BK-1	3/8"	50'	12"	Black	376/825	1880/3800	.65	6 ea
302110050G/W-1	3/8"	50'	12"	Gold/White	376/825	1880/3800	.65	4 ea
302112010BG-1	1/2"	10'	12"	Burgundy	438/960	2190/4400	.45	12 ea
302112010BK-1	1/2"	10'	12"	Black	438/960	2190/4400	.45	12 ea
302112010G/W-1	1/2"	10'	12"	Gold/White	438/960	2190/4400	.45	12 ea
302112010NV-1	1/2"	10'	12"	Navy	438/960	2190/4400	.45	12 ea
302112010WH-1	1/2"	10'	12"	White	438/960	2190/4400	.45	12 ea
302112015BG-1	1/2"	15'	12"	Burgundy	438/960	2190/4400	.50	12 ea
302112015BK-1	1/2"	15'	12"	Black	438/960	2190/4400	.50	12 ea
302112015BL-1	1/2"	15'	12"	Blue	438/960	2190/4400	.50	12 ea
302112015G/W-1	1/2"	15'	12"	Gold/White	438/960	2190/4400	.50	12 ea
302112015GN-1	1/2"	15'	12"	Green	438/960	2190/4400	.50	12 ea
302112015NV-1	1/2"	15'	12"	Navy	438/960	2190/4400	.50	12 ea
302112015RD-1	1/2"	15'	12"	Red	438/960	2190/4400	.50	12 ea
302112015TL-1	1/2"	15'	12"	Teal	438/960	2190/4400	.50	12 ea
302112015WH-1	1/2"	15'	12"	White	438/960	2190/4400	.50	12 ea
302112020BG-1	1/2"	20'	12"	Burgundy	438/960	2190/4400	.55	12 ea
302112020BK-1	1/2"	20'	12"	Black	438/960	2190/4400	.55	12 ea
302112020BL-1	1/2"	20'	12"	Blue	438/960	2190/4400	.55	12 ea
302112020G/W-1	1/2"	20'	12"	Gold/White	438/960	2190/4400	.55	12 ea
302112020GN-1	1/2"	20'	12"	Green	438/960	2190/4400	.55	12 ea
302112020NV-1	1/2"	20'	12"	Navy	438/960	2190/4400	.55	12 ea
302112020RD-1	1/2"	20'	12"	Red	438/960	2190/4400	.55	12 ea
302112020TL-1	1/2"	20'	12"	Teal	438/960	2190/4400	.55	12 ea
302112020WH-1	1/2"	20'	12"	White	438/960	2190/4400	.55	12 ea



PREMIUM DOCK LINE (Continued)


Double Braided Nylon



Display	A (Dia.)	B (Length)	C (Eye Size)	Color	WLL-kgs/lbs	B.S.-kgs/lbs	Wt.(lb.)	Std. Pack
302112025BG-1	1/2"	25'	12"	Burgundy	438/960	2190/4400	.60	12 ea
302112025BK-1	1/2"	25'	12"	Black	438/960	2190/4400	.60	12 ea
302112025BL-1	1/2"	25'	12"	Blue	438/960	2190/4400	.60	12 ea
302112025G/W-1	1/2"	25'	12"	Gold/White	438/960	2190/4400	.60	12 ea
302112025GN-1	1/2"	25'	12"	Green	438/960	2190/4400	.60	12 ea
302112025NV-1	1/2"	25'	12"	Navy	438/960	2190/4400	.60	12 ea
302112025RD-1	1/2"	25'	12"	Red	438/960	2190/4400	.60	12 ea
302112025TL-1	1/2"	25'	12"	Teal	438/960	2190/4400	.60	12 ea
302112025WH-1	1/2"	25'	12"	White	438/960	2190/4400	.60	12 ea
302112030BK-1	1/2"	30'	12"	Black	438/960	2190/4400	.65	12 ea
302112030G/W-1	1/2"	30'	12"	Gold/White	438/960	2190/4400	.65	12 ea
302112030NV-1	1/2"	30'	12"	Navy	438/960	2190/4400	.65	12 ea
302112030WH-1	1/2"	30'	12"	White	438/960	2190/4400	.65	12 ea
302112035BK-1	1/2"	35'	12"	Black	438/960	2190/4400	.68	12 ea
302112035G/W-1	1/2"	35'	12"	Gold/White	438/960	2190/4400	.68	12 ea
302112035NV-1	1/2"	35'	12"	Navy	438/960	2190/4400	.68	12 ea
302112035WH-1	1/2"	35'	12"	White	438/960	2190/4400	.68	12 ea
302112050BK-1	1/2"	50'	12"	Black	438/960	2190/4400	.75	6 ea
302112050G/W-1	1/2"	50'	12"	Gold/White	438/960	2190/4400	.75	4 ea
302116015BK-1	5/8"	15'	15"	Black	927/2045	4650/9400	.60	6 ea
302116015G/W-1	5/8"	15'	15"	Gold/White	927/2045	4650/9400	.60	6 ea
302116015NV-1	5/8"	15'	15"	Navy	927/2045	4650/9400	.60	6 ea
302116015WH-1	5/8"	15'	15"	White	927/2045	4650/9400	.60	6 ea
302116020BK-1	5/8"	20'	15"	Black	927/2045	4650/9400	.60	6 ea
302116020G/W-1	5/8"	20'	15"	Gold/White	927/2045	4650/9400	.60	6 ea
302116020NV-1	5/8"	20'	15"	Navy	927/2045	4650/9400	.60	6 ea
302116020WH-1	5/8"	20'	15"	White	927/2045	4650/9400	.60	6 ea
302116025BK-1	5/8"	25'	15"	Black	927/2045	4650/9400	.65	6 ea
302116025G/W-1	5/8"	25'	15"	Gold/White	927/2045	4650/9400	.65	6 ea
302116025WH-1	5/8"	25'	15"	White	927/2045	4650/9400	.65	6 ea
302116030BK-1	5/8"	30'	15"	Black	927/2045	4650/9400	.70	6 ea
302116030G/W-1	5/8"	30'	15"	Gold/White	927/2045	4650/9400	.70	6 ea
302116030NV-1	5/8"	30'	15"	Navy	927/2045	4650/9400	.70	6 ea
302116030WH-1	5/8"	30'	15"	White	927/2045	4650/9400	.70	6 ea
302116035BK-1	5/8"	35'	15"	Black	927/2045	4650/9400	.75	6 ea
302116035G/W-1	5/8"	35'	15"	Gold/White	927/2045	4650/9400	.75	6 ea
302116035NV-1	5/8"	35'	15"	Navy	927/2045	4650/9400	.75	6 ea
302116035WH-1	5/8"	35'	15"	White	927/2045	4650/9400	.75	6 ea
302116050BK-1	5/8"	50'	15"	Black	927/2045	4650/9400	.75	6 ea
302116050WH-1	5/8"	50'	15"	White	927/2045	4650/9400	.75	6 ea
302119025BK-1	3/4"	25'	18"	Black	1104/2430	5520/11200	.70	6 ea
302119025G/W-1	3/4"	25'	18"	Gold/White	1104/2430	5520/11200	.70	6 ea
302119025WH-1	3/4"	25'	18"	White	1104/2430	5520/11200	.70	6 ea
302119030BK-1	3/4"	30'	18"	Black	1104/2430	5520/11200	.75	6 ea
302119035BK-1	3/4"	35'	18"	Black	1104/2430	5520/11200	.80	6 ea
302119035G/W-1	3/4"	35'	18"	Gold/White	1104/2430	5520/11200	.80	6 ea
302119035WH-1	3/4"	35'	18"	White	1104/2430	5520/11200	.80	6 ea
302119050BK-1	3/4"	50'	18"	Black	1104/2430	5520/11200	.90	6 ea

- 100% premium double braided nylon
- Professionally spliced soft eye at one end
- Yacht whipped at the bitter end and splice point
- Available in a wide range of colors and sizes
- Comes in an attractive, reclosable clamshell package






PREMIUM DOCK LINE WITH REFLECTIVE TRACER

Double Braided Nylon



Display	A (Dia.)	B (Length)	C (Eye Size)	Color	WLL-kgs/lbs	B.S.-kgs/lbs	Wt.(lb.)	Std. Pack
302110010BKT-1	3/8"	10'	12"	Black	376/825	1880/3800	.35	12 ea
302110010G/WT-1	3/8"	10'	12"	Gold/White	376/825	1880/3800	.35	12 ea
302110015BKT-1	3/8"	15'	12"	Black	376/825	1880/3800	.45	12 ea
302110015G/WT-1	3/8"	15'	12"	Gold/White	376/825	1880/3800	.45	12 ea
302110020BKT-1	3/8"	20'	12"	Black	376/825	1880/3800	.50	12 ea
302110020G/WT-1	3/8"	20'	12"	Gold/White	376/825	1880/3800	.50	12 ea
302112010BKT-1	1/2"	10'	12"	Black	438/960	2190/4400	.45	12 ea
302112010G/WT-1	1/2"	10'	12"	Gold/White	438/960	2190/4400	.45	12 ea
302112015BKT-1	1/2"	15'	12"	Black	438/960	2190/4400	.50	12 ea
302112015G/WT-1	1/2"	15'	12"	Gold/White	438/960	2190/4400	.50	12 ea
302112020BKT-1	1/2"	20'	12"	Black	438/960	2190/4400	.55	12 ea
302112020G/WT-1	1/2"	20'	12"	Gold/White	438/960	2190/4400	.55	12 ea
302116015BKT-1	5/8"	15'	15"	Black	927/2045	4650/9400	.60	6 ea
302116015G/WT-1	5/8"	15'	15"	Gold/White	927/2045	4650/9400	.60	6 ea
302116020BKT-1	5/8"	20'	15"	Black	927/2045	4650/9400	.60	6 ea
302116020G/WT-1	5/8"	20'	15"	Gold/White	927/2045	4650/9400	.60	6 ea

- 100% premium double braided nylon
- Reflective tracers, visible up to 200 ft.
- Professionally spliced soft eye
- Yacht whipped at the bitter end and splice point
- High-capacity tensile strength
- Excellent shock absorption capabilities
- Resistant to rot, abrasion, mildew, oil, and UV rays
- Can be stored wet or dry
- Comes in an attractive, reclosable clamshell package



ANCHOR LINE

Twisted Nylon




Display	A (Dia.)	B (Length)	Color	WLL-kgs/lbs	B.S.-kgs/lbs	Wt.(lb.)	Std. Pack
301110060WH-1	3/8"	60'	White	370/815	1850/3750	1.10	6 ea
301110100WH-1	3/8"	100'	White	370/815	1850/3750	1.25	6 ea
301110150WH-1	3/8"	150'	White	370/815	1850/3750	1.50	4 ea
301110200WH-1	3/8"	200'	White	370/815	1850/3750	1.75	4 ea
301112100WH-1	1/2"	100'	White	415/915	2080/4200	2.00	4 ea
301112150WH-1	1/2"	150'	White	415/915	2080/4200	2.50	2 ea
301112200WH-1	1/2"	200'	White	415/915	2080/4200	3.00	2 ea
301116200WH-1	5/8"	200'	White	415/915	2080/4200	3.50	1 ea

- 100% premium twisted three-strand nylon
- Excellent flexibility, stretches to absorb shock
- Medium lay with a soft feel
- 304 Stainless steel thimble
- Professionally spliced with five tucks
- Yacht whipped at the bitter end
- Packaged on an easy to dispense spool



PREMIUM ANCHOR LINE

Double Braided Nylon




Display	A (Dia.)	B (Length)	Color	WLL-kgs/lbs	B.S.-kgs/lbs	Wt.(lb.)	Std. Pack
302110060G/W-1	3/8"	60'	Gold/White	376/825	1880/3800	1.90	1 ea
302110100G/W-1	3/8"	100'	Gold/White	376/825	1880/3800	2.20	4 ea
302110150G/W-1	3/8"	150'	Gold/White	376/825	1880/3800	3.30	4 ea
302110200G/W-1	3/8"	200'	Gold/White	376/825	1880/3800	4.40	2 ea
302110250G/W-1	3/8"	250'	Gold/White	376/825	1880/3800	5.00	4 ea
302112060G/W-1	1/2"	60'	Gold/White	438/960	2190/4400	3.00	1 ea
302112100G/W-1	1/2"	100'	Gold/White	438/960	2190/4400	3.30	4 ea
302112150G/W-1	1/2"	150'	Gold/White	438/960	2190/4400	4.40	2 ea
302112200G/W-1	1/2"	200'	Gold/White	438/960	2190/4400	5.25	2 ea
302112250G/W-1	1/2"	250'	Gold/White	438/960	2190/4400	5.60	1 ea
302112300G/W-1	1/2"	300'	Gold/White	438/960	2190/4400	6.00	1 ea

- 100% premium double braided nylon
- Excellent flexibility, stretches to absorb shock
- Medium lay with a soft feel
- 304 Stainless steel thimble
- Professionally spliced
- Yacht whipped at the thimble splice point
- Packaged on an easy to dispense spool

ANCHOR LINE WITH SNAP

Hollow Braided Polypropylene

This rope floats!




Display	A (Dia.)	B (Length)	Color	WLL-kgs/lbs	B.S.-kgs/lbs	Wt.(lb.)	Std. Pack
304206050YW-1	1/4"	50'	Yellow	104/230	520/1050	.75	12 ea
304206100YW-1	1/4"	100'	Yellow	104/230	520/1050	1.50	12 ea
304210075YW-1	3/8"	75'	Yellow	268/590	1340/2700	1.25	12 ea
304210100YW-1	3/8"	100'	Yellow	268/590	1340/2700	1.50	12 ea

- 100% premium multifilament polypropylene floating rope
- Plated steel snap, P/N 155630
- Packaged in a clamshell pack (304206050YW-1) or easy to dispense spool

FENDER LINE


Twisted Nylon



Display	A (Dia.)	B (Length)	C (Eye Size)	Color	WLL-kgs/lbs	B.S.-kgs/lbs	Wt.(lb.)	Std. Pack
301106006WH-1	1/4"	6'	2"	White	124/275	620/1250	.64	12 pr
301106008WH-1	3/8"	8'	3"	White	370/815	1850/3750	.75	12 pr

- 100% premium twisted three-strand nylon
- Professionally spliced with five tucks
- Sold in pairs






PREMIUM FENDER LINE

Double Braided Nylon



Display	A (Dia.)	B (Length)	C (Eye Size)	Color	WLL-kgs/lbs	B.S.-kgs/lbs	Wt.(lb.)	Std. Pack
302106006BG-1	1/4"	6'	2"	Burgundy	132/290	660/1330	.64	12 pr
302106006BK-1	1/4"	6'	2"	Black	132/290	660/1330	.64	12 pr
302106006BL-1	1/4"	6'	2"	Blue	132/290	660/1330	.64	12 pr
302106006G/W-1	1/4"	6'	2"	Gold/White	132/290	660/1330	.64	12 pr
302106006NV-1	1/4"	6'	2"	Navy	132/290	660/1330	.64	12 pr
302106006RD-1	1/4"	6'	2"	Red	132/290	660/1330	.64	12 pr
302106006WH-1	1/4"	6'	2"	White	132/290	660/1330	.64	12 pr
302110006BG-1	3/8"	6'	3"	Burgundy	376/825	1880/3800	.64	12 pr
302110006BK-1	3/8"	6'	3"	Black	376/825	1880/3800	.64	12 pr
302110006BL-1	3/8"	6'	3"	Blue	376/825	1880/3800	.64	12 pr
302110006G/W-1	3/8"	6'	3"	Gold/White	376/825	1880/3800	.64	12 pr
302110006NV-1	3/8"	6'	3"	Navy	376/825	1880/3800	.64	12 pr
302110006RD-1	3/8"	6'	3"	Red	376/825	1880/3800	.64	12 pr
302110006WH-1	3/8"	6'	3"	White	376/825	1880/3800	.64	12 pr

- 100% premium double braided nylon
- Professional double braided nylon splice
- Yacht whipped at bitter end and splice point
- Sold in pairs



BULK CORDAGE

Twisted Nylon



Bulk	A (Dia.)	B (Length)	Color	WLL-kgs/lbs	B.S.-kgs/lbs	Wt.(lb.)	Std. Pack
301106100WH	1/4"	100'	White	124/275	620/1250	1.50	6 ea
301106600BK	1/4"	600'	Black	124/275	620/1250	5.00	1 ea
301106600WH	1/4"	600'	White	124/275	620/1250	5.00	1 ea
301108600BK	5/16"	600'	Black	216/475	1080/2180	5.50	1 ea
301108600WH	5/16"	600'	White	216/475	1080/2180	5.50	1 ea
301110600BK	3/8"	600'	Black	370/815	1850/3750	6.00	1 ea
301110600WH	3/8"	600'	White	370/815	1850/3750	6.00	1 ea
301112600BK	1/2"	600'	Black	415/915	2080/4200	8.00	1 ea
301112600WH	1/2"	600'	White	415/915	2080/4200	8.00	1 ea
301116600BK	5/8"	600'	Black	900/1980	4500/9100	9.00	1 ea
301116600WH	5/8"	600'	White	900/1980	4500/9100	9.00	1 ea
301119300WH	3/4"	300'	White	1060/2330	5300/10700	5.00	1 ea
301119600BK	3/4"	600'	Black	1060/2330	5300/10700	10.00	1 ea
301119600WH	3/4"	600'	White	1060/2330	5300/10700	10.00	1 ea
301122600BK	7/8"	600'	Black	1277/2810	3800/7700	11.00	1 ea
301122600WH	7/8"	600'	White	1277/2810	3800/7700	11.00	1 ea
301126300WH	1"	300'	White	1509/3320	4500/9100	6.00	1 ea
301126600BK	1"	600'	Black	1509/3320	4500/9100	12.00	1 ea
301126600WH	1"	600'	White	1509/3320	4500/9100	12.00	1 ea

- 100% premium twisted nylon
- Packaged on an easy to dispense spool






BULK CORDAGE

Twisted Polypropylene

This rope floats!



Bulk	A (Dia.)	B (Length)	Color	WLL-kgs/lbs	B.S.-kgs/lbs	Wt.(lb.)	Std. Pack
301206600BK	1/4"	600'	Black	104/230	520/1050	5.00	4 ea
301206600YW	1/4"	600'	Yellow	104/230	520/1050	5.00	4 ea
301206120YW	1/4"	1,200'	Yellow	104/230	520/1050	10.00	4 ea
301208600BK	5/16"	600'	Black	216/475	1080/2180	6.00	1 ea
301208600YW	5/16"	600'	Yellow	216/475	1080/2180	6.00	1 ea
301210600BK	3/8"	600'	Black	268/590	1340/2710	6.50	1 ea
301210600YW	3/8"	600'	Yellow	268/590	1340/2710	6.50	1 ea
301212600BK	1/2"	600'	Black	368/810	1840/3725	7.00	1 ea
301212600YW	1/2"	600'	Yellow	368/810	1840/3725	7.00	1 ea
301216600YW	5/8"	600'	Yellow	900/1980	4500/9100	8.00	1 ea
301219600YW	3/4"	600'	Yellow	1060/2330	5300/10700	8.50	1 ea

- Twisted polypropylene floating rope
- Excellent resistance to most common chemicals
- Resistant to rot, mildew, and degradation
- Good abrasion and UV resistance
- Good strength properties with moderate stretch
- Additional colors and combinations available
- Packaged on an easy to dispense spool



PREMIUM BULK CORDAGE

Double Braided Nylon



Bulk	A (Dia.)	B (Length)	Color	WLL-kgs/lbs	B.S.-kgs/lbs	Wt.(lb.)	Std. Pack
302103500WH	1/8"	500'	White	66/145	340/687	4.45	4 ea
302106300WH	1/4"	300'	White	132/290	680/1375	2.50	4 ea
302106600BK	1/4"	600'	Black	132/290	680/1375	5.00	2 ea
302106600G/W	1/4"	600'	Gold/White	132/290	680/1375	5.00	2 ea
302106600WH	1/4"	600'	White	132/290	680/1375	5.00	2 ea
302108300WH	5/16"	300'	White	320/640	960/1950	2.12	2 ea
302108600BK	5/16"	600'	Black	320/640	960/1950	5.25	1 ea
302108600G/W	5/16"	600'	Gold/White	320/640	960/1950	5.25	1 ea
302108600WH	5/16"	600'	White	320/640	960/1950	5.25	1 ea
302110200WH	3/8"	200'	White	376/825	1880/3800	2.50	2 ea
302110600BK	3/8"	600'	Black	376/825	1880/3800	6.60	1 ea
302110600G/W	3/8"	600'	Gold/White	376/825	1880/3800	6.60	1 ea
302110600NV	3/8"	600'	Navy	376/825	1880/3800	6.60	1 ea
302110600WH	3/8"	600'	White	376/825	1880/3800	6.60	1 ea
302112600BK	1/2"	600'	Black	438/960	2190/4430	14.40	1 ea
302112600G/W	1/2"	600'	Gold/White	438/960	2190/443	14.40	1 ea
302112600NV	1/2"	600'	Navy	438/960	2190/443	14.40	1 ea
302112600WH	1/2"	600'	White	438/960	2190/443	14.40	1 ea
302116600BK	5/8"	600'	Black	927/2045	4650/9400	15.60	1 ea
302116600G/W	5/8"	600'	Gold/White	927/2045	4650/9400	15.60	1 ea
302116600WH	5/8"	600'	White	927/2045	4650/9400	15.60	1 ea
302119600BK	3/4"	600'	Black	1104/2430	5520/11175	16.80	1 ea
302119600G/W	3/4"	600'	Gold/White	1104/2430	5520/11175	16.80	1 ea
302119600WH	3/4"	600'	White	1104/2430	5520/11175	16.80	1 ea
302122600BK	7/8"	600'	Black	1540/3388	4620/9350	17.60	1 ea
302122600WH	7/8"	600'	White	1540/3388	4620/9350	17.60	1 ea
302126600BK	1"	600'	Black	1980/4356	5940/12000	18.80	1 ea
302126600WH	1"	600'	White	1980/4356	5940/12000	18.80	1 ea

- 100% premium double braided nylon
- Packaged on an easy to dispense spool




BULK CORDAGE

Solid Braided Nylon



Bulk	A (Dia.)	B (Length)	Color	WLL-kgs/lbs	B.S.-kgs/lbs	Wt.(lb.)	Std. Pack
303103999WH	1/8"	1,000'	White	26/55	130/250	3.0	4 ea
303105500WH	3/16"	500'	White	50/110	252/510	6.0	4 ea
303105999WH	3/16"	1,000'	White	50/110	252/510	12.0	2 ea
303106500WH	1/4"	500'	White	132/290	660/1330	10.0	2 ea
303108500WH	5/16"	500'	White	230/500	1150/2330	11.0	1 ea
303110500WH	3/8"	500'	White	382/840	1910/3865	12.5	1 ea
303112500WH	1/2"	500'	White	410/900	2050/4150	13.0	1 ea

- 100% premium solid braided nylon
- Packaged on an easy to dispense spool



BULK CORDAGE

Hollow Braided Polypropylene

This rope floats!



Bulk	A (Dia.)	B (Length)	Color	WLL-kgs/lbs	B.S.-kgs/lbs	Wt.(lb.)	Std. Pack
304206600YW	1/4"	600'	Yellow	86/190	430/870	9.00	4 ea
304208600YW	5/16"	600'	Yellow	172/380	860/1740	10.0	1 ea
304210600WH	3/8"	600'	White	230/500	1150/2330	11.5	1 ea
304210600YW	3/8"	600'	Yellow	230/500	1150/2330	11.5	1 ea

- 100% premium multifilament polypropylene floating rope
- Packaged on an easy to dispense spool



UTILITY CORDAGE

Solid Braided Polyester Cord



Display	Description	A (Dia.)	B (Length)	Color	WLL-kgs/lbs	B.S.-kgs/lbs	Wt.(lb.)	Std. Pack
303303050WH-1	Hank	1/8"	50'	White	22/50	110/225	.50	12 ea
303304050-1	Hank	5/32"	50'	White	50/110	252/510	.60	12 ea
303304100-1	Hank	5/32"	100'	White	50/110	252/510	1.20	12 ea
303305050-1	Hank	3/16"	50'	White	132/290	660/1330	.75	12 ea
303305100-1	Hank	3/16"	100'	White	132/290	660/1330	1.50	12 ea

- Solid braid polyester cord
- Excellent for many quick tie and flag halyard uses

WHIPPING TWINE

Waxed & Braided Polyester



Display	Description	(Dia.)	(Length)	Color	Wt.(lb.)	Std. Pack
562569WH-1	Whipping Twine	1 mm	45'	White	.25	12 ea

- Adds a professional finish to splices and rope ends
- Kit includes #15 needle

Note: Breaking Strength and Working Load Limits are without warranty. They are values determined by random sampling under conditions close to their intended application where parts break or deform and become improper for use. We recommend loads do not exceed 40% of the amount listed; if used for applications where loads may vary or be subject to excessive use, loads should be no more than 20% of the amount listed. Sea-Dog should be consulted if items will be used in overhead lifting applications.

SEADOGLINE[®]

QUALITY MARINE GEAR

ROPE CUTTING MADE EASY!



DELUXE HAND HELD ROPE CUTTER

#300095-3

- Easily cuts nylon, polyester, polypropylene and Dacron cordage and webbing
- Cuts and heat seals at the same time
- Replaceable blade heats to 1100° Fahrenheit (600° Celsius) in less than 10 seconds
- Brass bristle cleaning brush, T-handle Allen wrench, and carrying case included
- 110V
- ETL listed



ECONOMY HAND HELD ROPE CUTTER & SOLDERING GUN

#300097-3

- Easily cuts nylon, polyester, polypropylene and Dacron cordage and webbing
- Cuts and heat seals at the same time
- Replaceable blade heats to 750° Fahrenheit (400° Celsius)
- Includes replaceable blade and soldering tip
- 110V
- UL listed



BENCH MOUNT ELECTRIC ROPE CUTTER

#300090-3

- Cuts and seals all types of poly cordage quickly and cleanly
- Replaceable blade heats to 1100° Fahrenheit (600° Celsius) in less than 10 seconds
- Brass bristle cleaning brush and blade removal tool included
- Replaceable blade sold separately (#300091)
- 110V
- ETL listed

EXPERIENCE THE SEA-DOG DIFFERENCE

PO Box 479
Everett, WA 98206

SEA-DOG.COM

Office: 425-259-0194
Fax: 425-339-1345